


ISSUED BY


[www.rototest.com/rri](http://www.rototest.com/rri)

**Rototest**  
Salemsv 20  
SE-144 40 Ronninge  
Sweden  
Tel +46 8 532 55 890  
Fax +46 8 532 52 740  
Info@rototest.se

## Certificate of Performance



Vehicle	Description	Mode	Correction	Legend
Ford Galaxy 2.3 -97 (107 kW)		Steady State	ISO 1585 (5/82)	■ ●

Printed 2006-04-14 11:49

461973

ROTOTEST VPA / VPA-R chassis dynamometer system | [www.rototest.com](http://www.rototest.com)Downloaded from [www.rototest.com/rri](http://www.rototest.com/rri) on 2009-02-27 10:53 by 92.100.94.164

(c) Copyright Rototest Research Institute. All rights reserved. For limited non-profit use, see terms at [www.rototest.com/rri](http://www.rototest.com/rri).  
Performance graphs are available as high resolution images. Please contact RRI for more information.



ISSUED BY




## Certificate of Performance

Test ID STR-97042101  
Created 1997-04-21 17:36  
Vehicle ID  
Vehicle make Ford  
Vehicle model Galaxy 2.3 -97 (107 kW)  
Engine SI NA, 2295 cc, I4, 16v  
Mileage 2253 km  
Test mode Steady State  
Test fuel 95 RON  
Customer  
Description

Measured at [1/min]  
Max power [kW] 97.4 5496  
Max torque [Nm] 180.9 2501  
Correction ISO 1585 (5/82)  
Atm pressure [hPa] 989 - 992

Comments



Engine speed [1/min]	Corr power [kW]	Corr torque [Nm]	Wheel speed [1/min]	Total red [1/x]	Total wheel torque / total red [Nm]	Wheel power [kW]	Inl temp* [°C]	Rel hum [%]	Amb temp [°C]	Oil temp* [°C]	Sample Corr factor	Time [s]
1496	23.7	151.4	364	4.113	619	23.6	25	28	18	95	1.005	52.4
2004	35.0	166.6	487	4.113	679	34.7	27	29	18	97	1.009	39.6
2311	43.6	180.1	562	4.113	728	42.8	31	28	18	100	1.017	32.8
2501	47.4	180.9	608	4.113	736	46.9	28	28	18	103	1.011	29.0
2701	50.6	179.0	657	4.113	724	49.8	31	28	18	105	1.017	27.7
3006	56.2	178.5	731	4.113	724	55.4	29	27	18	114	1.014	23.5
3494	61.5	168.0	849	4.113	679	60.4	31	26	18	116	1.018	21.9
4009	73.9	176.1	975	4.113	708	72.3	34	26	19	113	1.023	18.4
4500	84.6	179.6	1094	4.113	723	82.8	33	13	21	109	1.022	17.1
4993	91.7	175.3	1214	4.113	710	90.2	30	26	18	117	1.016	13.5
5295	95.7	172.5	1287	4.113	699	94.2	30	26	18	120	1.016	17.6
5496	97.4	169.3	1336	4.113	687	96.1	29	27	18	118	1.014	12.4
5692	94.6	158.7	1384	4.113	640	92.7	32	26	18	123	1.020	13.0
6012	92.8	147.3	1462	4.113	591	90.4	35	26	19	127	1.026	12.6

\* Inl temp measured in intake before air filter, oil temp measured in oil dipstick, unless noted otherwise.

Printed 2006-04-14 11:49

